

DATASHEET

GripFactory PolyGrip Strips

GripFactory PolyGrip Strips are made of polyester reinforced with fiberglass fibers (GRP) with an aluminum grain. By using these high-quality materials GripFactory PolyGrip Strips are not only very strong and resilient, but also very light and easy to handle. GripFactory PolyGrip Strips are available in all RAL colors (standard Black, Gray and Yellow), four different grain sizes and can also be ordered completely to size. GripFactory PolyGrip Strips are a durable solution for hazardous, smooth surfaces. You get a whopping 15 year warranty! Samples are available on request.

GripFactory PolyGrip Strips are suitable for many applications. GripFactory PolyGrip Strips are virtually indestructible, completely splinter and crack free, and weather resistant. For example, GripFactory PolyGrip strips prove their service every winter by making concrete floors, ramps and ramps safer. Even more because ice and snow do not adhere to this material.

How does it work?

GripFactory PolyGrip Strips are made to measure in the desired color. After this, the GripFactory specialist will assemble the strips if required. Dust-free and without major renovation. Your gallery, stairs, platform or ramp is safe to walk on for years.

Characteristics

- Impact-resistant long durability
- Effective in wet and oily conditions
- Easy to assemble reduces installation costs
- Non-conductive eliminates electrical and thermal hazards
- Suitable for pedestrians, forklift and other heavy traffic
- Maintenance-free will not rust or corrode
- 65% lighter than steel easier to handle and cheaper to install
- Available from 2 mm thickness
- Available in any BS or RAL color
- Available to size
- Available in the grains: barefoot, fine, medium or offshore
- UV resistant
- Chemically resistant

Areas of application

GripFactory PolyGrip Strips are suitable for use in the following situations, among others:

- Concrete, wood and steel (fire) stairs
- Galleries
- Bridges
- Bankirai / hardwood ramps
- Uneven surfaces
- Work platforms
- Steel grids
- and much more...

GripFactory B.V.
Trasmolenlaan 12
3447 GZ Woerden
The Netherlands



+31 (0)348 - 20 30 00 info@gripfactory.nl



www.gripfactoryantislip.com



Suitable for the surfaces below

- Concrete
- Wood
- Stairs

Technical data

Subject	Result	
Thermal expansion	0 x 10^ (-6) graden C	
Flexibility	193 MPa	
Tension	123 MPa	
Thermal conduction	0.2 w/m2K	
Tensile modulus	7.1GPa	

Colors

Beige / Grey (RAL 7006) and black are the standard colors. GripFactory PolyGrip Mini-Strips can also be manufactured in other colors (on request).

- B.S. 4800 colors
- B.S. 5252 colors
- RAL colors

Fire resistance

GripFactory PolyGrip Strips can be supplied in various fire resistance grains:

- BS 476 Part 7 Class 1
- BS 476 Part 7 Class 2

Grain / coarseness

- Ultra fine (barefoot)
- Fine
- Medium
- Offshore









Weight

Nominal thickness	kg / m²
3.5 mm	6.80
4 mm	7.80
5 mm	9.70
6 mm	10.80
7 mm	11.90
8 mm	13.20
9 mm	14.40
10 mm	15.36

Pendulum Test Results

Reference Grain Roughness Rz Tem		Tomporatura (C)	Orienta-	Test Value		
Reference	Grain	Rougilless R2	remperature (C)	tion	Dry	Wet
F66326	Medium	54.5 24	Along	90	83	
100320 Medium 34.	34.3	24	Across	98	85	
F66324 Fine 64.7	2.4	Along	103	87		
	04.7	24	Across	100	88	

Potential for slip	Pendulum Test Value
High	<24
Moderate	25-35
Low	>36

Advantages of PolyGrip

- Flexural strength can be enhanced by the addition of woven reinforcement if required.
- Unlike other "Plastic" glazing products GRP will not drip, melt or soften in the event of fire.
- Compared with many other plastics GRP has minimal expansion and contraction characteristics and will not bow and warp in extremes of temperature.
- PolyGrip is up to seven times stronger than mild steel on a weight for weight basis.

GripFactory PolyGrip Strips are among the most versatile anti-slip solutions available on the market and comply with the strictest international standards in terms of safety and durability.



















GRIPFACTORY APPLICATION SERVICE

Are you unable to find a solution or do you have questions? Then contact the GripFactory Service Desk (+31 348 203000). For an additional cost you can have GripFactory PolyGrip products applied by a certified applicator.