

SAFETY DATA SHEET

GripFactory TitaniumGrip

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY

1.1 Product identification

Trade name: GripFactory TitaniumGrip

UFI: VUF1-M08G-E006-9PC3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Anti-slip for surfaces. Professional use only.

Uses advised:

No uses advised against, as long as the information on this safety data sheet are met.

1.3 Details of the supplier of the safety data sheet

GripFactory B.V.

Industrieweg 4 H

3442 AE Woerden

T +31 348 20 3000

E info@gripfactory.nl

W www.gripfactoryantislip.com

Chamber of Commerce: 73.01.42.65

VAT: NL8593.20.856.B01

1.4 Emergency telephone number

T +31 348 20 3000

GripFactory B.V.

Industrieweg 4 H

3442 AE Woerden

The Netherlands



+31 (0)348 - 20 30 00



info@gripfactory.nl



www.gripfactoryantislip.com

2. Hazards identification

2.1 Classification of the substance or mixture

Regulation (EC) No 1272/2008:

Product not classified as dangerous according to regulation (EC) No 1272/2008 (CLP)

2.2 Label elements

Regulation (EC) No 1272/2008 (CLP):

CLP Pictograms:

Not applicable

Signal word:

Not applicable

Hazard statement(s):

Not applicable

Precautionary Statement(s):

Not applicable

Additional information:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P305: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P351: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container in accordance to local/regional/national regulation.

2.3 Other hazards

Results on PBT and mPmB valuations:

This mixture does not meet the criteria for PBT in accordance with regulation (EC) No 1907/2006, Annex XIII.

This mixture does not meet the criteria for mPmB in accordance with regulation (EC) No 1907/2006, Annex XIII.

3. Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Dangerous components:

Indicators	IUPAC Name	Concentration	Classification Regulation (EC) No 1272/2008
CAS No: 67-63-0 CE No: 200-661-7 INDEX No: 603-117-00-0 REACH No: 01- 2119457558-25-XXXX	propan-2-ol	< 10%	Eye Irrit. 2 , H319 Flam. Liq. 2 , H225 STOT SE 3: H336
CAS No: 13463-67-7 CE No: 236-675-5 INDEX No: 022-006-00-2 REACH No:	Titanium dioxide	4-6%	Carc 2, H351**

*Diameter of powder grain: +40 µm

** Carc 2 classification is considered when titanium dioxide in powder form containing 1% or more particles with aerodynamic diameter ≤ 10 µm.

Full text for the H statements on this section indicated in section 16.

Occupational exposure limit:

Section 8.1

4. First aids measures

4.1 First aids description

General recommendation:

Have the product container, label or safety data sheet at hand when calling to the National Institute of Toxicology or doctor. Move away the affected person from the exposition source. Move person to fresh air and give him rest. Do not give anything to drink to the victim if he is unconscious. Symptoms as consequences of intoxication may appear after exposition, in case of any doubt of direct exposition to the chemist product or a persistent malaise, seek medical attendance, showing the product's SDS.

Inhalation:

In case of appearing intoxication symptoms, move the affected person away from the zone of exposition, move him or her to fresh air. Seek medical attention if the symptoms persist or aggravate.

Skin contact:

Take off contaminated clothing and shoes. Rinse skin or shower the affected person if necessary, with plenty of water and neutral soap. Seek medical attention if the symptoms persist or aggravate.

Eye contact:

Rinse eye with plenty of water for at least 15 minutes. Avoid the affected person close or rub his or her eyes. In case of the affected person uses contact glasses, this must be removed as long as they are not stuck to the eye, otherwise it would produce an additional damage. Seek medical attention if the symptoms persist or aggravate.

Ingestion:

Rinse mouth with water. In case of apparition of symptoms, seek a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Main symptoms and effects indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

In case of any doubt or if the symptoms persist, seek medical attendance.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Non-flammable product under normal storage, handling and use circumstances. In case of inflammation as consequence of a wrong storage, handling or use, use preferably:

- Polyvalent fire extinguishers (ABC powder), according to regulation of regulation against (R.D. 1942/1993 and posteriors modifications).
- Alcohol-resistant foam.
- Spray water.
- Atomized Sprayers

Not-suitable extinguishing agents:

Big volume water jet to avoid fire dispersion.

5.2 Special hazards arising from the substance or mixture

Fire danger:

As consequence of combustion or thermal decomposition reaction sub products are generated that can be highly toxic and, consequently may present a highly risk for health (SECTION 10).

5.3 Advice for firefighters

Depending on fire magnitude, use a complete set of protective clothing and an autonomous breath equipment. Have a minimum of emergency facilities or elements of action (fire blankets, first aid kit...) according to legislation (R.D.486/1997 and posterior modifications).

Additional information:

Suppress any source of ignition. In case of fire, refrigerate the storage containers with product susceptible to inflammation or explosion as consequences of high temperatures. Avoid the spill of products used for fire extinction to the aquatic environment.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Isolate leaks as long as they do not suppose an additional risk for staff who make this function. Evacuate the zone and keep unprotected people away. Personal protective equipment is required for potential exposition to the spill product (SECTION 8). Evacuate the zone and keep unprotected people away.

6.2 Environmental precautions

Prevent contamination on drains, superficial or subterranean water or in soil. On quantities superior to 5000L avoid spill to the aquatic environment due to the danger substances in the product. Keep the absorbed/gathered product on sealable recipients. Notify in case of big spills to the competent authorities according to local regulation.

6.3 Methods and material for containment and cleaning

Remove using absorbent such as sand or inert absorbent and move it to container for its elimination according to local legislation. Clean the surface cautiously to eliminate the residual contamination. For any other consideration relative to product elimination, consult section 13.

6.4 Reference to other sections

Personal protection:
SECTION 8

Waste treatment:
SECTION 13

7. Handling and storage

7.1 Precautions for safe handling

Advises for a safe handling:

Comply the actual legislation of prevention of occupational hazards. Keep containers hermetically sealed. Control spills and wastes, eliminating it with secure methods (section 6). Avoid free spill from the container. Keep clean and in order the place of dangerous products handling.

Hygiene measures:

Don't drink, eat or smoke in working areas; wash hands after every handling. Take off contaminated clothes and protective equipment before enter an eating area.

7.2 Conditions for safe storage, including any incompatibilities

Storage under local legislation. Look the label indications. Storage containers on an ambient temperature, on a dry and well-ventilated place, away from heat sources and direct sunlight. Avoid static electricity accumulation. Foresee grounding. Once open containers must be cautiously closed and vertically put to avoid spills. Keep it away from incompatibles materials (SECTION 10)
Product not affected by Directive 2012/18/EU (SEVESO III).

7.3. Finals specific uses

No finals specific recommendation available.

8. Exposure Controls / personal protection

8.1 Control parameters

8.1.1 Occupational exposure limits

Substances with controlled exposition values in the working environment:

Components	Identification	ENVIRONMENTALLY OCCUPATIONAL EXPOSURE LIMITS	
		TLV-TWA	TLV-STEL
propan-2-ol	CAS No: 67-63-0 CE No: 200-661-7	500 mg/m ³ 200ppm - Spain	1000 mg/m ³ 400ppm
Titanium dioxide	CAS No: 13463-67-7 CE No: 236-675-5	10 mg/m ³ -Spain	-
Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy	CAS No: 25322-68-3 CE No: 500-038-2	1000 mg/m ³ (inhalable fraction) - Germany	-

8.1.2 Additional exposure limits under the condition of use

DNEL, Human exposition: worker

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
propan-2-ol	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	888 mg/kg weight day	Not relevant
	Inhalation	Not relevant	Not relevant	500 mg/m ³ air	Not relevant

DNEL, Human exposition: consumer

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
propan-2-ol	Oral	Not relevant	Not relevant	26 mg/kg weight day	Not relevant
	Dermal	Not relevant	Not relevant	319 mg/kg weight day	Not relevant
	Inhalation	Not relevant	Not relevant	89 mg/m ³ air	Not relevant

PNEC. Values environmental exposure

		Identification		
propan-2-ol	STP	2251 mg/l	Freshwater	140,9 mg/l
	Soil	28 mg/kg	Marine water	140,9 mg/l
	Oral	160 mg/kg	Sediment (Freshwater)	522 mg/kg
	Sediment	522 mg/kg	Sediment (Marine water)	522 mg/kg

8.2 Exposure controls

Engineering measures:

The Product must be used on equipment design with the purpose of not expose the operator under normal handling circumstances. The circulation must be started only when all the tubes connections has been done and tested. Proportionate an adequate ventilation.

RESPIRATORY PROTECTION: NOT NECESSARY UNDER NORMAL CONDITION OF USE.

- EPI:** Filtering mask for protection against chemical products
- Characteristics:** CE-mark Category III. The mask must have a wide field of view and an anatomic shape to offer tightness
- CEN normative:** EN 136, EN 140, EN 405
- Maintenance:** Do not store in high temperatures expose places and wet environments before using. Special control on inhalation and exhalation valves of facial adaptor.



- Observations:** Read carefully the manufacturer's instructions regarding the use and maintenance of the equipment. Filters will be attached to the equipment according to risk characteristics (Particles and aerosols: P1-P2-P3, Gases and Vapors: A-B-E-K-AX), Changing as advised by the manufacturer.

HAND PROTECTION:

- EPI:** Non disposable chemical resistant gloves
- Characteristics:** CE-mark Category III. Check a list of chemical product against which the gloves are resistant before using.
- CEN normative:** EN 374-1, En 374-2, EN 374-3, EN 420
- Maintenance:** Stablish a timetable for the periodic replacement of gloves to ensure that they are changed before being permeated by contaminants. The use of contaminated containers can be more dangerous than the lack of use, because the contaminant can be accumulated in the material component of the glove.



- Observations:** Gloves with cracks, deformation or when the external dirt might decreases its resistance must be immediately replaced.

Material: PVC (Polyvinyl chloride)
 Penetration time (min.): > 480
 Material thickness (mm): 0,35


EYE PROTECTION:

- EPI:** Integral frame safety goggles.
- Characteristics:** CE-mark Category III. Integral frame eye protector against dust, smokes, mist and vapors.
- CEN normative:** EN 165, EN 166, EN 167, EN 168
- Maintenance:** Clean daily and disinfect periodically according to manufacture advises. Use recommend in case of spill risks.
- Observations:** Deterioration indicators: yellow coloring, scratches, cracks, etc....



SKIN PROTECTION:

- EPI:** Chemical resistant clothing
- Characteristics:** CE-mark Category III. Clothing must have a good adjustment. Protection level must be set according to test parameter called "Breaking time" (BT breaking time) which indicates the time the chemical takes to pass through the material.
- CEN normative:** Conservation and washing instructions must be provided by manufacturer to ensure unchanged protection.
- Maintenance:** The protective clothing design should facilitate their correct positioning and permanence without displacement, during the intended period of use, considering the environmental factors, along with the movements and postures that the user can adopt during their activity.
- Observations:** Conservation and washing instructions must be provided by manufacturer to ensure unchanged protection.



FOOT PROTECTION:

- EPI:** Chemical resistant footwear and with anti-static properties.
- Characteristics:** CE-mark Category III. Check a list of chemical product against which the shoes are resistant before using.
- CEN normative:** EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN ISO 20345
- Maintenance:** For correct maintenance of this kind of safety footwear it is essential to take into account the instructions specified by the manufacturer. Replace footwear must be replaced in the event of any signs of deterioration.
- Observations:** Clean footwear regularly and dries when wet but without placing it too close to a heat source to avoid sudden temperature changes.



9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information on this section referred to the product, unless it is specified relative data to each substance.

Physical aspect:

Physical state to 20°C: liquid

- Aspect: uncolored liquid
- Color: uncolored
- Odor: Mint
- Olfactory threshold: Not relevant*

Volatility:

- Boiling temperature (atmospheric pressure): 1000°C
- Vapor pressure at 20°C: 2350 Pa
- Vapor pressure at 50°C: 12380 Pa (12 kPa)
- Evaporation rate at 20°C: Not relevant*

Product characterization:

- Density at 20°C: 990 -1010 kg/m³
- Relative density at 20°C: 1.034
- Dynamic viscosity: Not relevant*
- Kinematical viscosity at 20°C: Not relevant*
- Kinematical viscosity at 40°C: Not relevantt*
- Concentration: Not relevant*
- PH: Not relevant*
- Vapor density at 20°C: Not relevant*
- Octane/water coefficient of distribution at 20°C: Not relevant*
- Water solubility at 20°C: Miscible
- Solubility property: Not relevant*
- Decomposition temperature: Not relevant*
- Fusion/freezing point: Not relevant*
- Explosive properties: Non-explosive
- Oxidizing properties: Non-oxidizing

Flammability:

- Inflammation point: > 90°C
- Flammability: (solid, gas): Not relevant*
- Auto-ignition temperature: 437°C
- Lower flammability limit: Not relevant*
- Upper flammability limit: Not relevant*

* Not relevant because the nature product, does not contribute characteristic information about its danger.

9.2 Other information

Propan-2-ol

- COV content (p/p): 100% (propan-2-ol)
- COV content: 790 g/l(propan-2-ol)

Titanium dioxide

- Powder grain diameter: +40 um

- Comply with DIN EN ISO 5832-2 and ASTM F67
- Composition and properties:
 - Ti: 99%
 - N,C,H,Fe,O: < 1%
 - Elasticity limit (Rp 0.2): 520 MPa
 - Breaking strain: 590 MPa
 - Extension: 25%
 - Modulus of elasticity: 110 GPa
 - Vickers hardness: > 200 HV 5/30
 - Density: 4.5 g/cm³
 - Melting point range: 1605-1660°C
 - CDT (25-500°C): 10,1 X 10⁻⁶ K⁻¹
 - CDT (25-600°C): 10,3 X 10⁻⁶ K⁻¹
 - TIPO (DIN EN ISO 22674): 4

10. Stability and reactivity

10.1 Reactivity

Non-reactive under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and handling conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions are expected.

10.4 Conditions to avoid

- Heat
- Ignition sources

10.5 Incompatible materials

- Oxidizing agents
- Strong acids
- Strong alkalis

10.6 Hazardous decomposition products

By thermal decomposition may form toxic gases:

- Carbon dioxide.
- Carbon monoxide.
- Acetaldehyde
- Nitrogen oxides
- Organics components

11. Toxicological Information

11.1 Information on toxicological effects

a) Acute toxicity

The classification criteria are not met.

Substance Acute Toxicity estimated (ATE)	
Oral ATE	>2000 mg/kg
Skin ATE	>2000 mg/kg
Inhalation ATE	>20 mg/L air (1 h)

b) Skin corrosion/irritation

Not classified (seeing the available data, Classification criteria are not met)

c) Serious eye damage/irritation

Not classified (seeing the available data, Classification criteria are not met)

d) Respiratory or skin sensitization

Contain substances that may cause a skin allergic reaction.

e) Specific target organ toxicity (STOT) - repeated exposure

Classification criteria are not met.

f) Specific target organ toxicity (STOT) - single exposure

It may cause dizziness and drowsiness.

g) Carcinogenicity

Classification criteria are not met.

h) Germ cell mutagenicity

Classification criteria are not met.

i) Reproductive toxicity

Classification criteria are not met.

j) Aspiration hazard

Classification criteria are not met.

12. Ecological information

12.1 Toxicity

propan-2-ol				
	Parameter	Species	Method	Exposure time
Short-term acute toxicity, fish	LC ₅₀ =11300 mg/L	Lepomis macrochiru	No available data	96 h
Long-term acute toxicity, Aquatic invertebrates	EC ₅₀ = 2400 mg/L	Daphnia magna	No available data	48 h
Toxicity to aquatic algae	EC ₅₀ = 2900 mg/L	Pseudokirchneriella subcapitata	No available data	72 h
Toxicity to cyanobacteria	No available data	No available data	No available data	No available data

12.2 Persistence and degradability

No information available exist about persistence and degradability.

12.3 Bioaccumulative potential

Propan-2-ol: Log Pow=0.05 bioaccumulation potential: low

No information relative to the bioaccumulation of the present substances.

12.4 Mobility in soil

No information available about mobility in soil. It must not be allowed the pass to sewers or waterways of the product . Avoid soil penetration.

12.5 Results of PBT and vPvB assessment

Mixture not considered as persistent, bioaccumulative and toxic (PBT).Mixture not considered as persistent, bioaccumulative and toxic (mPmB).

12.6 Other adverse effects

Unknown.

13. Disposal Considerations

13.1 Waste treatment methods

Type of waste (Regulation (EU) No 1357/2014)

Code: Unable to assign a specific code.

Spill to sewer or waterways not allowed.

Waste Management:

Consult to authorized waste manager the validation and elimination operation according to Annex 1 and 2 (Directive 2008/98/CE, law 22/2011). According to codes 15 01 (2014/955/EU) the container in case of contact with the product it will be managed the same way that the product himself, otherwise it will be managed as non-hazardous waste. Product disposal to the water is not advice. See section 6.2.

Legislative provisions related to waste management:

According to Annex II of Regulation (EC) No 1907/2006 (REACH), the Community or state provisions related to waste management are:

- Community legislation: Directive 2008/98 / EC, 2014/955 / EU, Regulation (EU) No 1357/2014.
- National legislation: Law 22/2011.

14. Transport information

ADR-RID, IMDG, IATA:

Not regulated

14.1 ONU-numbers

Not regulated

14.2 UN proper shipping name

Not regulated

14.3 Transport hazard class/es

Not regulated

14.4 Packing group

Not regulated

14.5 Environmental hazards

Marine pollutant: No

14.6 Special precautions for user

Not regulated

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not regulated

15. REGELGEVENDE INFORMATIE

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations applied:

- REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures.
- REGULATION (EU) 2016/918 OF THE COMMISSION of 19 May of 2016 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.
- Regulation (EC) No 1907/2006 (REACH) OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL, of 18 December 2006, concerning the Registration, Evaluation, Authorization and Restriction of Chemicals, upgrade according to regulation (EU) 2015/830 of 28 May 2015 amending regulation (EC) No 1906/2006.
- REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 30 November 2009 on cosmetic products.
- DIRECTIVE 2003/15/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL in order to include allergenic perfuming ingredients from the list first established by SCCNFP in its SCCNFP / 0017/98 and successive amendments to the Scientific Committee on Cosmetic Products and Non-Food Products (SCCNFP).
- SEVESO III: DIRECTIVE 2012/18 / EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances and amending and subsequently repealing Directive 96/82/EC.

Other regulations:

- SEVESO III: DIRECTIVE 2012/18 / EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances and amending and subsequently repealing Directive 96/82 / EC: Section 7
- Substances candidates to authorization according to regulation (EC) 1907/2006 (REACH): not present or not present on regulatory quantities.
- Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer: not present or not present on regulatory quantities.
- Regulation (EC) No. 850/2004 on persistent organic pollutants: not present or not present on regulatory quantities.
- Regulation (EC) No. 689/200 concerning the export and import of dangerous chemicals: not present or not present on regulatory quantities.
- Regulation (EC) No 1907/2006, REACH Article 59(1). Candidates list: not present or not present on regulatory quantities.
- Regulation (CE) No. 1907/2006 REACH. Annex XIV. Substances subject to authorization with posterior modifications: not present or not present on regulatory quantities.
- Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work: not present or not present on regulatory quantities.
- Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding: not present or not present on regulatory quantities.
- REGULATION (EC) No 166/2006 Annex II: Pollutants. Concerning the establishment of a European Pollutant Release and Transfer Register: : not present or not present on regulatory quantities.
- Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work: not present or not present on regulatory quantities.

15.2 Chemical safety assessment

The supplier has not carried out chemical safety assessment.

16. Other information

16.1 Applicable safety data sheet legislation

This SDS has been redacted according to ANNEX II-guide for the elaboration of SDS of regulation (CE) No 1907/2006 (REACH), upgrade according to regulation (EU) No 2015/830 of 28 May 2015.

16.2 Texts and phrases contemplated on section 3

Regulation no 1272/2008 (CLP):

Eye Irrit. 2: Eye irritation. Category 2

Flam. Liq. 2: Flammables liquids. Category 2

Specific target organ toxicity (STOT) - single exposure. Category 3.

H225: Very flammables liquids and vapors.

H319: Causes serious eye irritation

H336: May cause drowsiness or dizziness.

16.3 Abbreviators and acronyms

- LD50: Median Lethal Dose.
- LC50: Median Lethal Concentration.
- EC50: Median Effective Concentration.
- RID Regulations concerning the International Carriage of Dangerous Goods by Rail.
- ADR: European agreement concerning the International carriage of Dangerous Goods by Road.
- IMDG: International Maritime Dangerous Goods (Code).
- IATA: International Air Transport Association.
- OACI: International Civil Aviation Organization.
- PBT: Persistent, bioaccumulative, toxic.
- mPmB: Very persistent, very bioaccumulable.
- NOEC: No Observed Effect Concentration
- FBC: Factor of bioconcentration.
- BOD: Biological oxygen demand.
- BOD5: Biological oxygen demand at 5 days.
- Log POW: Octane/water partition coefficient logarithm.
- Koc: Organic carbon partition coefficient.
- TLV-STEL: Threshold limit value - Short-term exposure limit (15 minutes).
- TLV-TWA; Threshold limit value - Time weighted average (8 hours)
- DNEL: Derived no-effect level.
- PNEC: Predicted No Effect Concentration.
- INCI: International nomenclature for cosmetic ingredients.
- IUPAC: Organic nomenclature..

16.4 BMain bibliography sources

- <http://echa.europa.eu>
- <http://euophrac.eu>
- <http://echemportal.org>
- <http://toxnet.nlm>
- <http://inchem.org>
- <http://epa.gov>
- <http://insh.es>
- Access to the European Union rights, <http://eur-lex.europa.eu/>

- European agreement concerning the international carriage of dangerous goods by road (ADR 2015)
- International maritime code for dangerous goods IMDG including amendment 37-14 (IMO, 2014)

16.5 Methods for information assessment

Article 9 Regulation No1272/2008 (CLP)

The mixture classification based, in general, on methods of calculation of the substances, according to regulation (EC), No 1272/2008. If data are available for some mixtures or the weighting assessment can be used, it will be indicated on the relevant sections of the Safety data sheet. See section 9 for physicochemical properties, section 11 for toxicological information and section 12 for ecological information.

16.6 Modifications regarding the previous version

REPLACE VERSION 1 OF 14/05/2015

Upgrade of all the sections on this SDS according to Regulation (EU) No 2015/830 of 28 of May 2015, which modified the Regulation (EC) No 1906/2006 classification according to Regulation (EC) No 1272/2008 (CLP) OF THE EUROPEAN PARLAMENT AND COUNCIL of 16 of December 2008 about classification, label and storage of substances and mixtures.

It is advisable to carry out basic training regarding safety and occupational hygiene to perform a correct handling of the product.

The information on this SDS is based on sources, technical knowledge and the actual European and state legislation. The information provided is intended only as a guide for safety in handling, use, processing, storage, transport, disposal and unloading and should not be considered as a guarantee or quality specification. The information relates only to the specified material, and may not be valid for such material, used in combination with other materials or in any process, unless indicated on the text.